

Бани водяные цифровые с мешалкой AJL серии LW 502

Технические характеристики

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Россия (495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Киргизия (996)312-96-26-47

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

WATER BATH

LW SERIES

TYPE: DIGITAL 502



DESCRIPTION

Digital water bath LW 502 is dedicated for conducting analytical-medical, microbiological, physical, chemical and other research requiring temperature regimes in the range from 10°C to 62°C.

The baths of this group use digital technology that allows maintaining high stability of the set temperature, programming the heating time and saving the preferred settings. The work with device is facilitated by LCD display messages and automatically activated security devices.

The LW bath thermostat is equipped with a stirrer that guarantees even temperature distribution throughout the entire container. The bath may be equipped with a cooling element which, when connected to an external water system, allows the set temperature to be kept below ambient temperature.

The containers can be made of stainless steel (seamless method, which prevents leakage) or of glass.

Glass containers and plexiglass tripods allow observation of samples during tests

SPECIFICATION

- Temperature set in range from 10°C to 62° (res. 0,1°C)
- Accuracy of temperature stabilization up to 0,2°.
- LCD display messages:
 - current temperature
 - set temperature
 - set heating time
 - water sensor damage (with heating block)
 - low water level (with heating block)
- Acoustic signalization:
 - reaching the set temperature
 - end of programmed heating time (with heating block)
 - temperature sensor damage (with heating block)
 - low water level (with heating block)
- signaling water heating (LED diode)
- power supply 230~240 VAC, 50/60 Hz
- storage temperature range from +5°C to +40°C
- working temperature range from +10°C to +40°C
- the minimum difference between the ambient temperature and the set temperature:
 - 0°C with external cooling
 - 5°C without external cooling

KINDS

(according to the container material)

- **Glass container**

Water bath LW 502/S

- Power consumption: maximum 1000 W, average 100 W
- Glass container, capacity 7l (dimensions 360 x 130 x 150mm)

Water bath LW 502/D

- Power consumption: maximum 1000 W, average 100 W
- Glass container, capacity 16,2l (dimensions 360 x 300 x 150 mm)

- **Stainless steel container**

Water bath LW 502/M – 1 – 150

- Power consumption: maximum 1000 W, average 100 W
- Container dimensions: 300 x 151 x 150 mm

Water bath LW 502/M – 2 – 150

- Power consumption: maximum 1000 W, average 100 W
- Container dimensions: 240 x 300 x 150mm

Water bath LW 502/M – 4 – 150

- Power consumption: maximum 1000 W, average 100 W
- Container dimensions: 329 x 300 x 150mm

Water bath LW 502/M – 6 – 150

- Power consumption: maximum 1000 W, average 100 W
- Container dimensions: 505 x 300 x 150mm

ADDITIONAL EQUIPMENT

- wide range of plexiglass and stainelss steel tripods

Архангельск (8182)63-90-72	Ижевск (3412)26-03-58	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Сургут (3462)77-98-35
Астана (7172)727-132	Иркутск (395)279-98-46	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тверь (4822)63-31-35
Астрахань (8512)99-46-04	Казань (843)206-01-48	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)74-02-29
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Нижний Новгород (831)429-08-12	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Брянск (4832)59-03-52	Кемерово (3842)65-04-62	Новокузнецк (3843)20-46-81	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Владивосток (423)249-28-31	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Волгоград (844)278-03-48	Краснодар (861)203-40-90	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Вологда (8172)26-41-59	Красноярск (391)204-63-61	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Челябинск (351)202-03-61
Воронеж (473)204-51-73	Курск (4712)77-13-04	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Череповец (8202)49-02-64
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Ярославль (4852)69-52-93
Иваново (4932)77-34-06	Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (772)734-952-31	